CHRISTOPHER M. MACROGISSERIAL NO.: 09/190,788

FEB 13 2004

AMENDMENTS TO THE CLAIMS:

TECHNOLOGY CENTER REPORT

This listing of claims, in which claims 1, 15 and 21 are amended, will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A device for assisting a person in achieving proper alignment of the person's eyes when the person is in position to perform a task, comprising:

a light source suitable to generate a generally linear, alignment beam of light on surface so that the generally linear, alignment beam of light is visible to the person,

a support member suitable to be donned upon the person's head;

a light-source attached to the support member, the light source being attached to the support member to generate a generally linear, alignment beam of light on a surface visible to the person, the support member maintaining in a manner to maintain the light source in a position on the user's person's head such that the alignment beam of light is generally parallel to an alignment of a plane transversing the person's eyes when the person is in position to perform the task.

H1

2. (Previously presented) The device of Claim 1 wherein the light source includes a laser and a generally cylindrical lens positioned transversely to a light beam emanating from the laser, the lens creating a planar beam of light which forms the generally linear, alignment beam.

Claims 3-12 (Canceled).

- 13. (Previously presented) The device of Claim 1 wherein the support member comprises a band adapted to be worn on the head of the person, the light source being attached to the band to be positioned to the side of one of the eyes of the user.
- 14. (Previously presented) The device of Claim 13 wherein the alignment beam is visible on the ground during a golf putting stroke.
- 15. (Currently amended) A device for assisting a person in achieving proper alignment of a portion of the person's body in a desired direction when the person is in position to execute a golf stroke, the device comprising:

a light source suitable to generate a generally linear, alignment beam of light on a surface such that the generally linear, alignment beam of light is visible to the person

a support member to be worn by the person upon the person's body;

a light source attached to the support member, the light source being attached to the support member so that to generate a the generally linear, alignment beam of light on a surface visible to the person that is generally parallel to a line passing transversely through the portion of the person's body to provide to the person an indication of the alignment of the portion of the person's body.

41

CHRISTOPHER M. MACROGI Serial No.: 09/190,788

- 16. (Previously presented) The device of Claim 15 wherein the support member is adapted to be worn on the head of the person so that alignment beam of light is generally parallel to a line running transversely through the person's eyes.
- 17. (Previously presented) The device of Claim 16 wherein the surface is the ground in front of the person.
- 18. (Previously presented) The device of Claim 16 wherein the golf stroke is a putting stroke.
- 19. (Previously presented) The device of Claim 15 wherein the support member is adapted to be worn in the vicinity of the chest of the person so that alignment beam of light is generally parallel to a line running transversely through the person's chest.
- 20. (Previously presented) The device of Claim 15 wherein the support member is adapted to be worn in the vicinity of the hip of the person so that alignment beam of light is generally parallel to a line running transversely through the person's hip.
- 21. (Currently amended) A method of determining alignment of a portion of a person's body when the person is in position to execute a golf stroke, the method comprising the steps of:

attaching a support member to the person's body, the support member having attached thereto a light source, the light source adapted to generate a generally linear, alignment beam of light on a surface so that the generally linear, alignment beam of light is visible to the person to provide to the person an indication of the alignment of a line passing transversely through a portion of the person's body;

generating the generally linear, visible alignment beam of light on the surface.

HI

CHRISTOPHER M. MACROGL Serial No.: 09/190,788

- 22. (Previously presented) The method of Claim 21 wherein the support member is attached to the head of the person so that alignment beam of light is generally parallel to a line running transversely through the person's eyes.
- 23. (Previously presented) The method of Claim 22 wherein the surface is the ground in front of the person.
- 24. (Previously presented) The method of Claim 22 wherein the golf stroke is a putting stroke.
- 25. (Previously presented) The method of Claim 21 wherein the support member is attached to the person in the vicinity of the chest of the person so that alignment beam of light is generally parallel to a line running transversely through the person's chest.
- 26. (Previously presented) The method of Claim 21 wherein the support member is attached to the person in the vicinity of the hip of the person so that alignment beam of light is generally parallel to a line running transversely through the person's hip.

HI